

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

Display: Documents in Display Format: Starting with Number

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Tuesday, September 14, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L6</u>	L5 and (address near8 (((translat\$4 or conver\$4) near4 (further or again or another or an other or (physical adj2 physical))))	19	<u>L6</u>
<u>L5</u>	(((logical or virtual) adj2 address) near4 (translat\$4 or conver\$4))	2102	<u>L5</u>
	DB=PGPB,USPT; PLUR=YES; OP=OR		
<u>L4</u>	l2 and ((physical adj2 physical) near6 (translat\$4 or conver\$4))	11	<u>L4</u>
<u>L3</u>	L2 and ((table or TLB or cach\$4) near6 ((another or translat\$2 or conver\$3 or an other) adj2 address))	35	<u>L3</u>
<u>L2</u>	L1 and (address near8 (((translat\$4 or conver\$4) near4 (further or again or another or an other))))	95	<u>L2</u>
<u>L1</u>	(((logical or virtual) adj2 address) near4 (translat\$4 or conver\$4))	5337	<u>L1</u>

END OF SEARCH HISTORY

IEEE Xplore®

RELEASE 1.8

Welcome
United States Patent and Trademark Office



» Search Result

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **0** of **1071730** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:

No documents matched your query.

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#)
[OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#)
[Back to Top](#)

IEEE Xplore®

RELEASE 1.8

Welcome
United States Patent and Trademark Office


[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
[» Advanced Search](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**

[Help](#)

- 1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)
- 2) Limit your search by using search operators and field codes, if desired.
Example: optical <and> (fiber <or> fibre) <in> ti
- 3) Limit the results by selecting Search Options.
- 4) Click Search. See [Search Examples](#)

```
((logical or virtual)
<near/2> address) <near/4>
(translate$ or convert$) and
(address <near/8> ((translate$
```


Note: This function returns plural and suffixed forms of the keyword(s).

Search operators: <and> <or> <not> <in> [More](#)

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

Search Options:

Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

From year: to

Organize search results by:

Sort by:

In: order

List Results per page

Terms used

logical or **virtual** **near/2** **address** **near/4** **translat** or **conver** and **address** **near/8** **translat** or **conver** **near/4** **further** or **again**

Sort results by

Display results
 [Save results to a Binder](#)
 [Search Tips](#)
☐ [Open results in a new window](#)

Try an Adv
Try this se

Results 1 - 20 of 200

Best 200 shown

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

1 [Rearchitecting the UML infrastructure](#)

Colin Atkinson, Thomas Kühne

October 2002 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 12 Issue 4

Full text available:  [pdf\(328.78 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index term](#)

Metamodeling is one of the core foundations of computer-automated multiparadigm modeling. However, th form the required metamodeling approach should take and precisely what role metamodels should play. Th describing some fundamental problems in the industry's leading metamodeling technology, the UML framew could be rearchitected to overcome these problems. Three main is ...

Keywords: Metamodeling, UML infrastructure, classification, classification dimensions, deep instantiation, s language

2 [A Survey of Techniques for Synchronization and Recovery in Decentralized Computer Systems](#)

Walter H. Kohler

June 1981 **ACM Computing Surveys (CSUR)**, Volume 13 Issue 2


Full text available:  [pdf\(3.33 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

3 [Coupling compiler-enabled and conventional memory accessing for energy efficiency](#)

Raksit Ashok, Saurabh Chheda, Csaba Andras Moritz

May 2004 **ACM Transactions on Computer Systems (TOCS)**, Volume 22 Issue 2

Full text available:  [pdf\(1.41 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index term](#)


This article presents Cool-Mem, a family of memory system architectures that integrate conventional memo address translation, and compiler-enabled cache disambiguation techniques, to reduce energy consumption solutions provided in this article leverage on interlayer tradeoffs between architecture, compiler, and operat reduction by statically matching memory operations with energy-eff ...

Keywords: Energy efficiency, translation buffers, virtually addressed caches

4 [Performance of the VAX-11/780 translation buffer: simulation and measurement](#)

Douglas W. Clark, Joel S. Emer

February 1985 **ACM Transactions on Computer Systems (TOCS)**, Volume 3 Issue 1

Full text available:  [pdf\(2.36 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ind](#)


A virtual-address translation buffer (TB) is a hardware cache of recently used virtual-to-physical address m set of measurements and simulations of translation buffer performance in the VAX-11/780. Two different ha 11/780 computers, and translation buffer behavior was measured. Measurements were made under normal

reproducible synthetic time-sharing work loads. Reported measure ...

5 Notable computer networks

John S. Quarterman, Josiah C. Hoskins

October 1986 **Communications of the ACM**, Volume 29 Issue 10

Full text available:  pdf(4.66 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [rev](#)

Computer networks are becoming more numerous and more diverse. Collectively, they constitute a worldwi

6 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collabor**

Full text available:  pdf(4.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index term](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time d understanding of the execution of the application. The visualization tool we use is Poet, an event tracer dev However, these diagrams are often very complex and do not provide the user with the desired overview of display repeated occurrences of non-trivial commun ...

7 Trunking of TDM and narrowband services over IP Networks

James Aweya

January 2003 **International Journal of Network Management**, Volume 13 Issue 1

Full text available:  pdf(418.58 KB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ind](#)

The recent interest in IP as the vehicle for transporting TDM and narrowband services stems from the possi voice, video, and data, and the flexibility with which new services can be introduced. A key step in the evolu based environment is the 'graceful' interworking of the IP networks with the existing networks and services telephone network. A &l ...

8 Understanding and constructing shared spaces with mixed-reality boundaries

Steve Benford, Chris Greenhalgh, Gail Reynard, Chris Brown, Boriana Koleva

September 1998 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 5 Issue 3

Full text available:  pdf(2.50 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ind](#)


We propose an approach to creating shared mixed realities based on the construction of transparent bound we introduce a taxonomy that classifies current approaches to shared spaces according to the three dimens spatiality. Second, we discuss our experience of staging a poetry performance simultaneously within real an complexities involved in establishing social in ...

Keywords: CSCW, augmented reality, collaborative virtual environments, media-spaces, mixed reality, sha reality

9 Parallel execution of prolog programs: a survey

Gopal Gupta, Enrico Pontelli, Khayri A.M. Ali, Mats Carlsson, Manuel V. Hermenegildo

July 2001 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 23 Issue

Full text available:  pdf(1.95 MB)



Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ind](#)

Since the early days of logic programming, researchers in the field realized the potential for exploitation of programs. Their high-level nature, the presence of nondeterminism, and their referential transparency, amo interesting candidates for obtaining speedups through parallel execution. At the same time, the fact that th frequently involve irregular computatio ...

Keywords: Automatic parallelization, constraint programming, logic programming, parallelism, prolog

10 Computing curricula 2001

September 2001 **Journal on Educational Resources in Computing (JERIC)**

Full text available:  pdf(613.63 KB)  html(2.78 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 Formalizing the safety of Java, the Java virtual machine, and Java card

Pieter H. Hartel, Luc Moreau

December 2001 **ACM Computing Surveys (CSUR)**, Volume 33 Issue 4

Full text available:  pdf(442.86 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)


We review the existing literature on Java safety, emphasizing formal approaches, and the impact of Java on smartcards. The conclusion is that although a lot of good work has been done, a more concerted effort is needed to develop readable formal models of the whole of Java and its implementation. This is a formidable task but we believe it is worth the effort and thence to achieve ITSEC level 6 or Common Criteria ...

Keywords: Common criteria, programming

12 Launching the new era

Kazuhiro Fuchi, Robert Kowalski, Koichi Furukawa, Kazunori Ueda, Ken Kahn, Takashi Chikayama, Evan Tick

March 1993 **Communications of the ACM**, Volume 36 Issue 3


Full text available:  pdf(3.45 MB)

Additional Information: [full citation](#), [references](#), [index terms](#), [review](#)

13 4.2BSD and 4.3BSD as examples of the UNIX system

John S. Quarterman, Abraham Silberschatz, James L. Peterson

December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available:  pdf(4.07 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

This paper presents an in-depth examination of the 4.2 Berkeley Software Distribution, Virtual VAX-11 Vers Time-Sharing System. There are notes throughout on 4.3BSD, the forthcoming system from the University of California. The historical development of the UNIX system from its conception in 1969 until today, and describe the design. We then present the internal data structures and ...

14 Design of the Mnome persistent object store

J. Eliot B. Moss

April 1990

ACM Transactions on Information Systems (TOIS), Volume 8 Issue 2

Full text available:  pdf(3.22 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

The Mnome project is an investigation of techniques for integrating programming language and database for cooperative, information-intensive tasks such as computer-aided software engineering. The project strategy is to develop persistent programming languages. We report here on the Mnome persistent object store, a fundamental component and initial prototype. Mnome stores objects

15 A structural view of the Cedar programming environment

Daniel C. Swinehart, Polle T. Zellweger, Richard J. Beach, Robert B. Hagmann

August 1986 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 8 Issue 2

Full text available:  pdf(6.32 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

This paper presents an overview of the Cedar programming environment, focusing on its overall structure—the way they are organized. Cedar supports the development of programs written in a single programming language. The purpose is to increase the productivity of programmers whose activities include experimental programming systems for a high-performance personal computer. T ...

16 Distributed file systems: concepts and examples

Eliezer Levy, Abraham Silberschatz

December 1990 **ACM Computing Surveys (CSUR)**, Volume 22 Issue 4

Full text available:  pdf(5.33 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

The purpose of a distributed file system (DFS) is to allow users of physically distributed computers to share a common file system. A typical configuration for a DFS is a collection of workstations and mainframes connected and implemented as part of the operating system of each of the connected computers. This paper establishes a structure and decentralization of both data and control ...

17 Status report of the graphic standards planning committee

Computer Graphics staff

August 1979 **ACM SIGGRAPH Computer Graphics**, Volume 13 Issue 3

Full text available:  pdf(15.01 MB)


Additional Information: [full citation](#), [references](#), [citations](#)

18 Query evaluation techniques for large databases

Goetz Graefe

June 1993

ACM Computing Surveys (CSUR), Volume 25 Issue 2

Full text available:  pdf(9.37 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)


Database management systems will continue to manage large data volumes. Thus, efficient algorithms for sequences will be required to provide acceptable performance. The advent of object-oriented and extensible problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms

19 Programming languages for distributed computing systems

Henri E. Bal, Jennifer G. Steiner, Andrew S. Tanenbaum

September 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 3

Full text available:  pdf(6.50 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

When distributed systems first appeared, they were programmed in traditional sequential languages, usually for sending and receiving messages. As distributed applications became more commonplace and more sophisticated. Researchers all over the world began designing new programming languages specifically for their languages and their history, their underlying pr ...

20 Architectures: A perspective on the future of massively parallel computing: fine-grain vs. coarse-grain

Predrag T. Tasic

April 2004

Proceedings of the first conference on computing frontiers on Computing frontiers

Full text available:  pdf(277.49 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index term](#)

Models, architectures and languages for *parallel computation* have been of utmost research interest in some decades. A great variety of parallel computation models has been proposed and studied, and different parallel some possible ways of harnessing parallelism and improving performance of the general purpose computers as *artificial neural networks* (...

Keywords: cellular automata, distributed systems, massively parallel computing, multiprocessor computer models

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#) 